485 MADISON AVENUE

PLAZA DISTRICT

Specifications

| DESCRIPTION AND LOCATION | Built in 1929 and designed by Architect J.E.R. Carpenter, the 25-story building was acquired by Jack Resnick & Sons in 1976. Located on Madison Avenue at the corner of 52nd Street in New York's highly desirable Plaza District. The building is steps from Rockefeller Center, St. Patrick's Cathedral, Fifth Avenue shopping and Grand Central Station. |
|-----------------------------------|---|
| LOBBY | Renovated in 2001, lobby features Portuguese limestone, southern black granite, medium green marble and wrap-around wood panels. Featured art work "Girl Seated Against Square Wall" by Henry Moore, 1958. |
| BUILDING AREA | 305,675 SF |
| FLOORS | 24 Floors + Penthouse Floor 2: 12,140 SF Floors 3-8: 15,736 SF Floors 9-12 14,101 SF Floor 13: 13,962 SF Floor 14: 13,803 SF |
| | Floor 15: 12,476 SF Floor 16: 12,647 SF Floor 17: 12,661 SF Floors 18-20: 10,320 SF |
| | Floors 21-23: 8,179 SF Floor 24: 8,872-6,473 SF Penthouse: 2,399 SF |
| MAJOR TENANTS | Standard Security Life Insurance, Signature Bank, Midtown Orthopedic Specialist Management, SD Daniel, Janover LLC, Stevens & Lee, Zibro Family Management Corp., East West Bank, Hilltop Securities, Inc., RW USA, Fresco by Scotto and Gregorys Coffee |
| FLOOR LOAD | 40-120 lbs. per SF live load |
| CEILING HEIGHTS | 10'5" slab-to-slab |
| ELEVATORS | Three (3) passenger elevators: Lobby - 12th floor - 2,500 lbs. cap. Two (2) passenger elevators: Lobby - 13th - 24th floor - 2,500 lbs. cap. One (1) passenger elevator: Basement, Lobby - 14th floor - 2,500 lbs. cap. One (1) passenger elevator: Basement, Lobby, 13 - 24th floor -2,500 lbs. cap. One (1) freight elevator: Loading Area - Basement - 4,500 lbs. cap. |
| WINDOWS | Energy efficient double glazed windows installed in 2012. |
| EMERGENCY POWER | A 150-kW natural gas generator provides back-up power to all fire, life safety and critical systems. |
| SECURITY | 24/7 attended lobby; electronic access via turnstiles; web-based visitor pass system. All common areas and exterior of building are monitored by CCTV cameras. |
| LOADING DOCK/ MESSENGER CENTER | Service & Freight entrance on 52nd Street. |
| BASE BUILDING HVAC | Central plant consists of one (1) 1,200-ton capacity, three (3) cell cooling towers, two (2) 400-ton centrifugal chillers (installed 2012) providing chilled water to central interior air handlers and perimeter induction units. Heat is provided by steam to interior air handlers and steam/hot water converter to perimeter induction units. |
| SUPPLEMENTAL HVAC | Condenser water available for tenant supplemental air conditioning. |
| ELECTRICAL | Two (2) Electric Buss Duct risers one (1) 2,000-amps and one (1) 3,000-amps. Six (6) watts per usable SF connected load available for tenant use. |
| BUILDING MANAGEMENT SYSTEM | Andover BMS system installed in 2011. EcoGenesis SmartGrid® installed 2017 |
| LIFE SAFETY | Class-E Fire Alarm System. Building is fully sprinklered. |
| TELECOM | WiredScore Gold Certified - AT&T, Crown Castle, Level 3, Pilot Fiber, Spectrum Business, Verizon, XO Communications (Please see Telecommunications Factsheet for more details) |
| TRANSPORTATION | Convenient to all transportation including 4, 5, 6, E, M, 7, Grand Central Station, subways and surface transit. |







110 East 59 Street New York, NY 10022-1379 resnicknyc.com

Fran Delgorio 212.421.1300 fdelgorio@resnicknyc.com Brett S. Greenberg 212.421.1300 bgreenberg@resnicknyc.com

485 MADISON AVENUE

PLAZA DISTRICT

Specifications

SUSTAINABILITY

2017 LEED EB:OM Gold Certification, 2014 LEED EB:OM Silver Certification









485 MADISON AVENUE

PLAZA DISTRICT









110 East 59 Street New York, NY 10022-1379 resnicknyc.com Fran Delgorio 212.421.1300 fdelgorio@resnicknyc.com Brett S. Greenberg 212.421.1300 bgreenberg@resnicknyc.com